



Ship To: City of Oceanside
4927 Oceanside Blvd.
Oceanside, Ca. 92056

Telephone: 760.277.5911
Attention: Casey Van Der Linden

Date: 6.25.2026
Quotation: GA468
Prepared By: Glenn Allshire 619.870.6027

We are pleased to submit the following quotation for your consideration.

(1) Bobcat MH Government B50X-7 80V Electric 10,000 lb. Capacity @ 24" load center EV w/ Solid Pneumatic Tires

Features specific to your configuration

UL Rating	UL Safety EE F_HOMO-1090
Battery Compartment	40.9"W x 39.6"L x 33.0"H
Battery Connector	DIN320 Connector for Lithium Ion Battery (Inside Mount) F_BACO-1990
Brakes	Oil-Cooled Disc Brakes ^BRK-OIL
Tires	Solid Soft Ride - 28x12.5-15 Drive / 7.00-12 Steer F_TIRE-3060
Mast	3-Stage Wide View Full Free Triple MFH 185" OAL 90" FFH 59" F_MAST-FT4700
Tilt Cylinders	6° Forward / 9° Back F_TILT-1230
Sideshifter	Integral Sideshifting Fork Positioner 51" Wide - Class III F_FOPR-1600
Carriage	Included with Integral Attachment
Forks	Hook Type - Pallet - 2.4" x 6" x 60" F_FORK-1540
Load Backrest	Included with Fork Positioner
Overhead Guard	92.5" High F_OVHD-1000
Hydraulic Lines	4-Way For Sideshifting Fork Positioner F_ATLI-1310
Hydraulic Control Valve	4 Section with 4 Levers F_CRVE-1030
Mirrors	2 Side Rear View Mirrors and Panoramic Mirror F_MIRR-1070
Seat	Vinyl Suspension Seat with Hip Restraint F_SEAT-2040
Direction Control	Steering Column Directional Control Lever F_DICO-1070
Floor Spotlight	Blue LED Rear Spotlight F_WARN-1100
Warning Lights	Amber Strobe - Mounted Above OHG F_LSTB-1050
Warning Device	Back-Up Alarm F_ALAR-1020
Front Work Lights	(2) Front Flood Lights with Combination Lights - LED F_LCOM-1420
Rear Work Lights	(1) Rear Flood Light - LED F_LREA-1240
Fire Extinguisher	1.5 lb. ABC Type via SQ
Warranty	Bobcat Assurance - Standard 2 Year / 3,000 Hour, Powertrain 3 Year / 6,000 Hour
PowerPlus Warranty	Extended Powertrain Coverage - 5 Years / 10,000 Hours F_EXTW-5600

Auxiliary Power Package F_APPK-1030
Belly Plate F_BEPL-1000
DC/DC Voltage Converter
Emergency Power Disconnect F_EMPD-1000
Enclosed Drive and Hydraulic Pump Motors F_DMTR-1020
Steering Wheel Knob F_KNOB-1000
Weight Scale - Hydraulic Pressure Sensing Type F_WTSL-1000
Other Equipment & Accessories

One Tough Animal

PowerPlus Warranty Extended Powertrain Coverage/ Major Components - 5 Years / 10,000 Hours

Standard Equipment

80 Volt

AC Controller and Motors

OCDB

Power Steering

Electric Assist Braking

Tilt Steering Wheel

Bobcat B50X-7 Chassis:	\$76,621.67
80 VDC 400 AH Lithium Battery:	\$16,427.04
80 VDC 480 VAC / 3 PH Lithium Charger:	\$4575.00

Total Machine Price-Delivered:	\$97,623.71
8.25% Sales Tax:	\$8053.96

Total Delivered Price:	\$105,677.67
-------------------------------	---------------------

Per Sourcewell Contract #053024-DIV



One Tough Animal

Terms and Conditions

F.O.B: Bobcat DC (Buford, GA or Los Angeles, CA)

Quoted prices are subject to tariff surcharge based on the existing federal requirements in force at the time of invoice.

Prices are subject to any sales and/or use taxes, currently in force, and are not included in the price of the quote. Actual sales taxes may vary depending on future changes by any federal, state, or local governments.

Tax Exempt: If your company is Tax Exempt, please provide a copy of your Tax-Exempt Certificate along with the order, otherwise your company will be taxed.

Lease offerings are subject to credit approval.

Some operations and configurations may Void UL.

Performance and specifications stated are based on specific testing and operating conditions. Actual performance and specifications may vary based on application, option configuration, operating conditions, and environmental factors.

Conditions subject to change to those in effect at time of delivery.

Your signature on this proposal institutes a firm order.

This proposal is valid for 90 days from the date of the proposal unless otherwise stated.

When Applicable: Electric/Battery powered equipment, the customer is responsible for installation of charger by a licensed electrician and is not included in the pricing of this quote.

Please Note: Base rate capacity of a forklift is subject to a derated lift capacity. Mast height, attachments, tires, and forks can reduce the lifting capacity of your equipment. These items can change the stability and load centers of a forklift.

Please consult your sales rep for full details.

Proposal Authorization:

Signed and accepted on behalf of:

City of Oceanside

Signed and accepted on behalf of:

Quality Lift Trucks

Signature

Signature

Printed Name

Printed Name

Title

Title

Date

Date

